

## **Supporting Information**

### **Bioassay-guided isolation of proanthocyanidins with antiangiogenic activities**

Maria Sabina Pesca,<sup>†</sup> Fabrizio Dal Piaz,<sup>†</sup> Rokia Sanogo,<sup>‡</sup> Maryan Bruzual de Abreu,<sup>§</sup> Antonio Rapisarda,<sup>⊥</sup> Maria Paola Germanò,<sup>⊥</sup> Giovanna Certo,<sup>⊥</sup> Sandro De Falco,<sup>||</sup> Nunziatina De Tommasi,\*<sup>†</sup> Alessandra Braca<sup>§</sup>

<sup>†</sup> Dipartimento di Scienze Farmaceutiche e Biomediche, Università degli Studi di Salerno, via Ponte Don Melillo, 84084 Fisciano (SA), Italy

<sup>‡</sup> Departement Medicine Traditionelle (DMT), INRSP, B.P. 1746, Bamako, Mali

<sup>§</sup> Dipartimento di Scienze Farmaceutiche, Università di Pisa, via Bonanno 33, 56126 Pisa, Italy

<sup>⊥</sup> Dipartimento Farmaco-Biologico, Università di Messina, SS. Annunziata, 98168 Messina, Italy

<sup>||</sup> Istituto di Genetica e Biofisica, Adriano Buzzati-Traverso, 80131 Napoli, Italy

**Figure S1.**  $^1\text{H}$  NMR spectrum of compound **1** ( $\text{CD}_3\text{OD}$ )

**Figure S2.**  $^{13}\text{C}$  NMR spectrum of compound **1** ( $\text{CD}_3\text{OD}$ )

**Figure S3.** HSQC spectrum of compound **1** ( $\text{CD}_3\text{OD}$ )

**Figure S4.** HMBC spectrum of compound **1** ( $\text{CD}_3\text{OD}$ )


**Figure S5.**  $^1\text{H}$  NMR spectrum of compound **2** ( $\text{CD}_3\text{OD}$ )

**Figure S6.**  $^{13}\text{C}$  NMR spectrum of compound **2** ( $\text{CD}_3\text{OD}$ )


**Figure S7.** HSQC spectrum of compound **2** ( $\text{CD}_3\text{OD}$ )

**Figure S8.** HMBC spectrum of compound **2** ( $\text{CD}_3\text{OD}$ )


**Figure S1.**




## Figure S2.




**Figure S3.**




**Figure S4.**




**Figure S5.**



**Figure S6.**



**Figure S7.**



**Figure S8.**

